

Class VII

Computer

Annual Syllabus

Chapter 7

HTML lists, Tables, Images and Hyperlinks

A. Tick the correct answer.

1. The list that can be specified by using the tag is called ____ .

Ans. **Numbered**

2. Which is not an attribute of a table?

Ans. **Direction**

3. The attribute that displays text when the images cannot be displayed is ____ .

Ans. **ALT**

B. State true or false.

1. The ROWSPAN gives instruction to browser to take up one or more column. **False**

2. The <td> contains data of a cell. **True**

3. ALIGN=MIDDLE will help place the image in the centre of the screen. **False**

4. The HREF attribute of the <A> tag gives the hyperlink, or the address of the page to be fetched. **True**

5. Cellspacing is used to specify the space between cell boundary and the actual data in the cell. The values are given in pixels. **False**

C. Answer the following questions-

1. What is HTML? What is it used for?

Ans. HTML is short for Hypertext Markup Language. It was developed by Tim Berners Lee in 1990. HTML is used to create electronic documents that are displayed on the World Wide Web.

2. Why are lists used in an HTML document?

Ans. Lists are used when you want to separate information by giving each information piece its own line. Lists make it easier to understand when there is lot of information to be given.

3. What are the two types of lists you can create in HTML? Explain them briefly.

Ans. There are two types of lists in HTML.

- I. Ordered list
- II. Unordered list

Unordered list- It is used when the items in the list are not in any particular order. The default bullets are black coloured solid circles.

Ordered list – Ordered list is used for displaying the list of items in a particular order.

4. Define the different types of bullets that can be created in HTML.

Ans. There are three types of bullets that can be created in HTML.

- a) Disc- it gives a filled circle.
- b) Circle- it gives a non-filled circle.
- c) Square- it gives a square bullet.

5. Define the following tags.

- a) TR – Each table row is defined with the <tr> tag.
- b) TD – A table data/cell is defined with the >td> tag.
- c) IMG – This tag is used to insert an image in HTML document.

6. Describe how an image can be made into a hyperlink.

Ans. For making an image into a hyperlink, do as follows-

Remember that the image must be present in the directory which contains the HTML document. Else, give the entire path.

This ensures that the hyperlinked image opens the required file.

7. What are the different attributes of marquee?

Ans. The attributes of marquee are as follow-

- a) Align
- b) Bgcolor
- c) Behavior
- d) Scroll
- e) Slide
- f) Alternate

g) Direction

8. Identify the errors in the following statements and write the correct statement.

a. `<UL TYPE=CIRCLE]`

Ans. `<UL TYPE=CIRCLE>`

b. `<OL TYPE>=1>`

Ans. `<OL START ="1">`

c. `<TH>Sunday<TH>`

Ans. `<TH>Sunday</TH>`

d. `<col height = "10">`

Ans. `<col width ="10">`

9. Expand the following.

a. HTML- HyperText Markup Language

b. JPEG – Joint Photograph Experts Group

c. GIF – Graphic Interchange Format

d. PNG – Portable Network Graphics

e. CSS – Cascading Style Sheets